

TMI PRODUCTS

248 Claridge Curve, Peachtree City, GA 30269
770-631-7897 fax: 770-755-5200 MainOffice@TMIProducts.net

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for the specific requirements.

U. S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTIFY (As used on label) Stick Fast CA Polish Gloss: CA Polish Gloss Product use: polishing compound		NOTE: Blank spaces are not permitted. If any item is not applicable or no information is available; the space must be marked to indicate it.	
Section I			
Name TMI Products Inc Stick Fast Adhesives		Emergency Telephone Number 888-255-3924 813-248-0585	
Address (Number, Street, City, State and ZIP Code) 248 Claridge Curve Peachtree City, GA 30269		Telephone Number for Information (770)-631-7897 Data Prepared 03-12-2012	
Signature of Preparer (Optional)			
Section II – Hazardous Ingredients/Identity Information			
Hazardous Components (Specify Chemical Identity: Common Name(s) OSHA PEL ACGIH TLV Other Limits Recommended			% Optional
Aliphatic Hydrocarbon	8052-41-3 PEL: 100ppm	ACGIH TLV: 100ppm	11-17
Nonylphenol Ethoxlate	9016-45-9 PEL: N/A	ACGIH TLV: N/A	<01
Section III – Physical/Chemical Characteristics			
Boiling Point	>212°F	Specific Gravity (H2O =1)	.99 @ 77°F
Vapor Pressure (mm Hg)	17 @ 75°F	Freezing Point	32°F
Vapor Density (AIR = 1)	>1	Evaporation Rate (Butyl Acetate = 1)	N/A
Volatile Organic Compounds (VOC): Approximately 163g/liter (1.36 lb/gallon)			
Solubility in Water: Negligible			
Appearance and Odor: Off-white. Pleasant cherry scent.			
Section IV – Fire and Explosion Hazard Data			
Flash Point (Method Used) >190°F	Flammable Limits	NA	LEL N/DA UEL N/DA
Extinguishing Media: Water, Foam, CO ₂ , dry chemicals			
Special Fire Fighting Procedures: Self-contained breathing apparatus in the pressure demand mode			
Unusual Fire and Explosion Hazards: None Known			

TMI PRODUCTS

248 Claridge Curve, Peachtree City, GA 30269
770-631-7897 fax: 770-755-5200 MainOffice@TMIPRODUCTS.net

Section V – Health Hazard Data			
Threshold Limit Value: ACGIH TLV: None; OSHA PEL: None			
Effects of overexposure: Ingestion: If swallowed, may cause nausea, diarrhea, vomiting, mild irritation to GI tract. Eyes: May cause mild irritation, redness, tearing. Skin: Mild irritation, avoid contact with abraded skin. Inhalation: Slight irritation. Acute health hazards: Irritation of eyes or skin Chronic health hazards: None expected on industrial level Medical conditions generally aggravated by exposure: None known			
Emergency and First Aid Procedures: Ingestion: Do not induce vomiting. Give two (2) glasses of water. Contact physician immediately. Eyes: Flush immediately with large amounts of water for 15 minutes, lifting upper and lower lids occasionally. Consult a physician. Skin: Wash with soap and water. Remove contaminated clothing and footwear. If irritated contact physician. Inhalation: Remove to fresh air.			
Section VI – Reactivity Data			
Stability	Unstable		Conditions to Avoid
	Stable	X	
Incompatibility (<i>Materials to avoid</i>) Avoid strong acids and oxidizing agents.			
Hazardous Decomposition Products: None.			
Hazardous Polymerization	May occur		Conditions to Avoid:
	Will not occur	X	
Section VII – Spill or Leak Procedures			
Steps to be taken in case material is to be released or spilled: Absorb free liquid with earth, sand, clay or absorbent pad, Wash area with soap and water.			
Waste Disposal Method: In accordance with applicable local, state and federal regulations			
Section VIII – Special Protective Information			
Respiratory Protection (<i>Specify Type</i>) Standard industrial practices			
Ventilation	Local Exhaust	Special	
Use in open, well-ventilated area	None required	None	
	Mechanical	Other	
	Not Applicable	None	
Protective Gloves: Vinyl or rubber gloves.	Eye Protection: Chemical splash goggles or safety glasses with side shields.		
Other Protective Equipment: Standard industrial practices			

TMI PRODUCTS

248 Claridge Curve, Peachtree City, GA 30269
770-631-7897 fax: 770-755-5200 MainOffice@TMIProducts.net

Section IX – Special Precautions

Precautions to be taken in handling and storing:

Keep in original container. Avoid elevated temperatures. Keep from freezing temperatures below 32°F

Other Precautions:

Keep product away from children

Section X – Regulatory Information

CERCLA/SARA: NA

NFPA Hazard Classification: Health: 1 Flammability: 2 Instability: 0 Special Hazards: None

HMIS Hazard Classification: Health: 1 Flammability: 2 Physical Hazards: 0 Personal Protection: A

CARCINOGENICITY:

OSHA: NA ACGIH: N/A NTP: N/A IARC: N/A

US Federal Regulations:

TSCA: N/A CERCLA: N/A SARA Title III: N/A 311/312 Hazard Categories: N/A 313 Reportable

Ingredients: N/A

Section XI – Transportation Information

DOT

Proper shipping name: Cleaning Compound, NOS

Hazard Class: NA

ID number: NA

Packing Group: NA

Labels Statement: NA

Freight Class: Class 55

Information presented herein has been compiled from sources considered to be accurate and reliable, but is not guaranteed to be so. Nothing herein shall be considered as recommending practices or products in violation of any patent, law or regulation. It is the user's responsibility to determine the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. WE MAKE NO WARRANTIES REGARDING THE PRODUCTS AND DISCLAIM ALL EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.