

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be

U. S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form)

Form Approved

consulted for the specific requirements. OMB No. 1218-0072				
IDENTIFY (As used on label)		NOTE: Blank spaces are not permitted. If any item is not applicable or no information is available; the space must be marked to indicate it.		
Stick Fast CA Polish Satin:		or no information is available, the space must be ma	rked to indicate it.	
CA Polish Satin				
Product use: polishing compound				
Section I				
Name		Emergency Telephone Number		
TMI Products Inc		888-255-3924		
Stick Fast Adhesives		813-248-0585		
Address (Number, Street, City, State and ZIP Code)		Telephone Number for Information		
248 Claridge Curve		(770)-631-7897		
		Data Prepared		
Peachtree City, GA 30269		03-12-2012		
Signature of Preparer (Optional)				
Section II – Hazardous Ingredients/Identity Information				
Hazardous Components (Specify Chemical Identity: Common Name(s) OSHA PEL ACGIH TLV Other Limits Recommended % Optional)				
Aliphatic Hydrocarbon	8052-41-3 PEL: 100ppn	n ACGIH TLV: 100ppm		11-17
Triethanolamine	102-71-6 PEL: 5 mg/m	n ³ ACGIH TLV 5 mg/m ³		< 0.25
Section III – Physical/Chemical Characteristics				
Boiling Point	>212°F	Specific Gravity (H2O =1)	1.2 @ 77°F	
Vapor Pressure (mm Hg)	N/A @ 75°F	Freezing Point	32°F	
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A	
Volatile Organic Compounds (VOC):				
Approximately 190g/liter (1.58 lb/gallon)				
Solubility in Water:				
Low				
Appearance and Odor:				
Viscous liquid; Off-white – blue. Pleasant odor.				
Section IV – Fire and Explosion Hazard Data				
Flash Point (Method Used)		Flammable Limits NA	LEL N/DA	UEL N/DA
>190°F				
Extinguishing Media: Water, Foam, CO ₂ , dry chemicals				
Special Fire Fighting Procedures:				
None				
Unusual Fire and Explosion Hazards:				
None known				



Section V - Health Hazard Data Threshold Limit Value ACGIH TLV: None; OSHA PEL: None Effects of overexposure **Ingestion:** If swallowed, may cause nausea, diarrhea, vomiting, mild irritation to GI tract. **Eves:** May cause mild irritation, redness, tearing. **Skin:** Mild irritation, avoid contact with abraded skin. Inhalation: Slight irritation. Acute health hazards: Irritation of eyes or skin **Chronic health hazards:** None expected on industrial level Medical conditions generally aggravated by exposure: None known Emergency and First Aid Procedures: **Ingestion:** Do not induce vomiting. Give two (2) glasses of water. Contact physician immediately. Eyes: Flush immediately with large amounts of water for 15 minutes, lifting upper and lower lids occasionally. Consult a physician. Skin: Wash with soap and water. Remove contaminated clothing and footwear. If irritated contact physician. Inhalation; Remove to fresh air. Section VI - Reactivity Data Stability Unstable Conditions to Avoid Stable X Incompatibility (Materials to avoid) Avoid strong acids and oxidizing agents. Hazardous Decomposition Products: None. Conditions to Avoid: Hazardous May occur Polymerization Will not X occur Section VII - Spill or Leak Procedures Steps to be taken in case material is to be released or spilled: be taken in case material is to be released or spilled: Mop up spill for reuse/disposal. Wash area with soap and water. Waste Disposal Method: In accordance with applicable local, state and federal regulations Section VIII - Special Protective Information Respiratory Protection (Specify Type) Standard industrial practices Local Exhaust Special Use in open, well-ventilated area None required None Not Applicable None Protective Gloves: Eye Protection: Chemical splash goggles or safety glasses with side Vinyl or rubber gloves. shields. Other Protective Equipment: Standard industrial practices



Section IX – Special Precautions

Precautions to be taken in handling and storing

Keep in original container. Keep from freezing temperatures below 32°F

Other Precautions

Keep product away from children

Section X – Regulatory Information

CERCLA/SARA: NA

NFPA Hazard Classification: Health: 1 Flammability: 2 Instability: 0 Special Hazards: None HMIS Hazard Classification: Health: 1 Flammability: 2 Physical Hazards: 0 Personal Protection: A

CARCINOGENICITY:

OSHA: NA ACGIH: N/A NTP: N/A IARC: N/A

US Federal Regulations:

TSCA: N/A CERCLA: N/A SARA Title III: N/A 311/312 Hazard Categories: N/A

313 Reportable Ingredients: Yes

Section XI – Transportation Information

DOT Unrestricted [Less than 450 L]

Proper shipping name: Cleaning Compound, NOS

Hazard Class: NA
ID number: NA
Packing Group: NA
Labels Statement: NA
Freight Class: Class 55

Information presented herein has been compiled from sources considered to be accurate and reliable, but is not guaranteed to be so. Nothing herein shall be considered as recommending practices or products in violation of any patent, law or regulation. It is the user's responsibility to determine the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. WE MAKE NO WARRANTIES REGARDING THE PRODUCTS AND DISCLAIM ALL EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.