

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**MIXOL® Nr. 25 Oxyd-Weiss**

Revision date: 04/28/2022

Page 1 of 8

**1. Identification****Product identifier**

MIXOL® Nr. 25 Oxyd-Weiss

**Recommended use of the chemical and restrictions on use****Use of the substance/mixture**

Color, Pigment

**Details of the supplier of the safety data sheet**

Company name: MIXOL-PRODUKTE Diebold GmbH  
 Street: Carl-Zeiss-Str. 17-19  
 Place: D-73230 Kirchheim/Teck  
 Telephone: +49/(0)7021 / 950090      Telefax: +49/(0)7021 / 56030  
 e-mail: info@mixol.de  
 e-mail (Contact person): Technik@mixol.de  
 Internet: www.mixol.de  
 Responsible Department: Technik

**Emergency phone number:** Emergency CONTACT (24 h) GBK/Infotrac ID 107633 (USA Domestic): 18005355053**2. Hazard(s) identification****Classification of the chemical****29 CFR Part 1910.1200**

This mixture is not classified as hazardous in accordance with Regulation 29 CFR 1910.1200(d).

**Label elements****Additional advice on labelling**

GHS label elements, including precautionary statements: none/none

**Hazards not otherwise classified**

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

Contains: titanium dioxide: Do not breathe dust/fume/gas/mist/vapors/spray.

**3. Composition/information on ingredients****Mixtures****Hazardous components**

CAS No	Components	Quantity
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	12.79 %

**4. First-aid measures****Description of first aid measures****General information**

When in doubt or if symptoms are observed, get medical advice.

**After inhalation**

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## MIXOL® Nr. 25 Oxyd-Weiss

Revision date: 04/28/2022

Page 2 of 8

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Get medical advice/attention.

### Most important symptoms and effects, both acute and delayed

No information available.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Fire-fighting measures

### Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.  
Water spray jet, Extinguishing powder, Carbon dioxide (CO<sub>2</sub>), alcohol resistant foam.

#### Unsuitable extinguishing media

Full water jet

### Specific hazards arising from the chemical

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>).

### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

### Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### General advice

Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes and clothes.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

#### For emergency responders

Use personal protection equipment.

### Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### Methods and material for containment and cleaning up

#### For containment

Stop leak if safe to do so. Cover drains.

#### For cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated articles and floor according to the environmental legislation.

### Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## MIXOL® Nr. 25 Oxyd-Weiss

Revision date: 04/28/2022

Page 3 of 8

Disposal: see section 13

### 7. Handling and storage

#### Precautions for safe handling

##### **Advice on safe handling**

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapors/spray. Use personal protection equipment.

##### **Advice on protection against fire and explosion**

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

##### **Advice on general occupational hygiene**

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

##### **Further information on handling**

Handle and open container with care.

#### Conditions for safe storage, including any incompatibilities

##### **Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### **Hints on joint storage**

No information available.

##### **Further information on storage conditions**

storage stability: >= 36 month(s)

### 8. Exposure controls/personal protection

#### Control parameters

#### **Exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	f/cc	Category	Origin
7631-86-9	Silica, amorphous	-	6		TWA (8 h)	REL
13463-67-7	Titanium dioxide Total dust	-	15		TWA (8 h)	PEL
13463-67-7	Titanium dioxide		10		TWA (8 h)	ACGIH-2021

#### Exposure controls



##### **Appropriate engineering controls**

Provide adequate ventilation as well as local exhaust at critical locations.

##### **Individual protection measures, such as personal protective equipment**

##### **Eye/face protection**

Wear eye protection/face protection.

##### **Hand protection**

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**MIXOL® Nr. 25 Oxyd-Weiss**

Revision date: 04/28/2022

Page 4 of 8

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

**Skin protection**

Use of protective clothing.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**Thermal hazards**

No information available.

**Environmental exposure controls**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**9. Physical and chemical properties****Information on basic physical and chemical properties**

Physical state:	Liquid (Dispersion)
Color:	white
Odor:	odorless
Odour threshold:	not applicable

**Changes in the physical state**

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	100 °C
Flash point:	> 100 °C

**Flammability**

Solid/liquid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	not determined
Decomposition temperature:	> 100 °C
pH-Value:	not determined
Viscosity / kinematic:	not determined
Water solubility:	miscible

**Solubility in other solvents**

not determined

Partition coefficient n-octanol/water:	not determined
Vapor pressure:	not determined
Density (at 20 °C):	1,80 g/cm <sup>3</sup>
Relative vapour density:	not determined
Particle characteristics:	not determined

**Other information****Other safety characteristics**

No information available.

**10. Stability and reactivity**

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## MIXOL® Nr. 25 Oxyd-Weiss

Revision date: 04/28/2022

Page 5 of 8

### Reactivity

No hazardous reaction when handled and stored according to provisions.

### Chemical stability

Stability: Stable

The product is stable under storage at normal ambient temperatures.

### Possibility of hazardous reactions

Hazardous reactions: Will not occur

No known hazardous reactions.

### Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Incompatible materials

No information available.

### Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>).

## 11. Toxicological information

### Route(s) of Entry

oral, inhalative, Skin contact, Eye contact

### Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated:

oral: > 2000 mg/kg

dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/l (4 h)

Inhalation (dust/mist): > 5 mg/l (4h)

#### **Irritation and corrosivity**

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / evaluation: Not an irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy)

Serious eye damage/eye irritation:

Result / evaluation: Not an irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy)

#### **Sensitizing effects**

Based on available data, the classification criteria are not met.

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

#### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

#### **Specific target organ toxicity (STOT) - single exposure**

Based on available data, the classification criteria are not met.

#### **Specific target organ toxicity (STOT) - repeated exposure**

Based on available data, the classification criteria are not met.

Carcinogenicity (IARC): Titanium dioxide (CAS 13463-67-7) is listed in group 2B.

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**MIXOL® Nr. 25 Oxyd-Weiss**

Revision date: 04/28/2022

Page 6 of 8

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on other hazards****Endocrine disrupting properties**

No information available.

**12. Ecological information****Ecotoxicity**

Harmful to aquatic life with long lasting effects.

**Persistence and degradability**

The product has not been tested.

**Bioaccumulative potential**

The product has not been tested.

**Mobility in soil**

The product has not been tested.

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

No information available.

**Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**13. Disposal considerations****Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

**Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

**14. Transport information****U.S. DOT 49 CFR 172.101****Proper shipping name:**

No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)****UN number or ID number:**

No dangerous good in sense of this transport regulation.

**UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**Packing group:**

No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)****UN number or ID number:**

No dangerous good in sense of this transport regulation.

**UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**Packing group:**

No dangerous good in sense of this transport regulation.

**Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**MIXOL® Nr. 25 Oxyd-Weiss**

Revision date: 04/28/2022

Page 7 of 8

**Special precautions for user**

No dangerous good in sense of this transport regulation.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

No dangerous good in sense of this transport regulation.

**15. Regulatory information****U.S. Regulations****National Inventory TSCA**

CAS No. 2634-33-5: Yes.

CAS No. 55965-84-9: Yes.

CAS No. 68920-66-1: Yes.

CAS No. 13463-67-7: Yes.

CAS No. 7631-86-9: Yes.

**National regulatory information**

SARA Section 311/312 Hazards:

Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1): Immediate (acute) health hazard

**State Regulations****Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

**16. Other information****Hazardous Materials Information Label (HMIS)**

Health: \*1

Flammability: 1

Physical Hazard: 0

**NFPA Hazard Ratings**

Health: 1

Flammability: 1

Reactivity: 0

Unique Hazard:

**Changes**

Revision date: 28.04.2022

Revision No: 1,2

This data sheet contains changes from the previous version in section(s): 6,7,8,9,11.

**Abbreviations and acronyms**

ACGIH: American Conference of Governmental Industrial Hygienists

CFR: Code of Federal Regulations

DOT: Department of Transportation

ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IARC: International Agency for Research on Cancer

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service

NFPA: National Fire Protection Association

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: permissible exposure limit

REL: recommended exposure limit

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**MIXOL® Nr. 25 Oxyd-Weiss**

Revision date: 04/28/2022

Page 8 of 8

SARA: Superfund Amendments and Reauthorization Act  
STEL: Short-term exposure limit  
TSCA: Toxic Substances Control Act  
TWA: time-weighted average  
TI: Technical Instructions  
DGR: Dangerous Goods Regulations  
UN: United Nations  
ATE: Acute toxicity estimate  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
VOC: Volatile Organic Compounds

**Other data**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*