

## SECTION 1: IDENTIFICATION OF SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### 1.1. Product identifier

Tradename: MIXOL® ME 2 Silver

### 1.2. Relevant identified uses of the substances or mixture and uses advised against

#### Relevante identified uses of the substance or mixture

Industry sector: Industrial Performance Chemicals  
Paints, lacquers and varnishes industry  
Polymers industry  
Printing Inks Industry

Type of use: Colourant preparation

### 1.3. Details of the supplier of the safety data sheet

#### Identification of the company:

MIXOL-PRODUKTE  
Diebold GmbH  
Carl-Zeiss-Str. 17-19  
73230 Kirchheim/Teck  
Phone: 0049 / 7021 / 950090  
Fax: 0049 / 7021 / 56030

#### Information to substance / mixture:

Division: Technics  
Phone: +49(0)7021 / 950090  
E-mail: Technik@mixol.de

### 1.4. Emergency telephone number

GBK Gefahrgut Büro GmbH, Ingelheim, Germany  
Emergency CONTACT (24-Hour-Number)  
GBK/Infotrac ID 107633: (US domestic): 1-800-5355-053 or  
From outside US: (001) 352-323-3500

## SECTION 2: HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Not a hazardous substance or mixture.

### GHS label elements

Not a hazardous substance or mixture.

### Other hazards

None known.

## SECTION 3: COMPOSITION / INFORMATION TO INGREDIENTS

### Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
Aluminum	7429-90-5	>= 30 - < 50
Phosphoric acid, C11-14-isoalkyl esters, C13-rich	154518-38-4 (52933-07-0)	>= 1 - < 5

Ethanol, 2,2',2"-nitrioltris-	102-71-6	$\geq 1 - < 5$
Ethanol, 2-(dimethylamino)-	108-01-0	$\geq 0.1 - < 1$

Actual concentration is withheld as a trade secret

## SECTION 4: FIRST AID MEASURES

### General advice:

Take the victim into fresh air.  
Do not leave the victim unattended.  
No hazards which require special first aid measures.

### If inhaled:

If unconscious place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

### In case of skin contact:

Wash off immediately with soap and a plenty of water.

### In case of eye contact:

Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
If eye irritation persists, consult a specialist.

### If swallowed:

Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### Most important symptoms and effects, both acute and delayed

None known.

## SECTION 5: FIREFIGHTING MEASURES

### Suitable extinguishing media:

Dry sand  
ABC-Powder  
Foam

### Unsuitable extinguishing media

Water

### Further information:

Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Special protective equipment for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

Evacuate personal to save areas.

### Methods and material for containment and cleaning up

Use mechanical handling equipment.

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Wipe up with absorbent material (e.g. cloth, fleece).

Do not flush with water.

Keep in suitable, closed containers for disposal.

## SECTION 7: HANDLING AND STORAGE

### Advice on protection against fire and explosion:

Normal measures for preventive fire protection

### Advice on safe handling:

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application area.

### Conditions for safe storage:

Earthing of containers and apparatuses is essential.

Take measures to prevent the build up of electrostatic charge.

Use explosion-proof equipment.

Store in original container.

Electrical installations / working materials must comply with the technological safety standards.

### Materials to avoid:

Do not store near acids.

Do not store together with oxidizing and self-igniting products.

Keep away from oxidizing agents, strongly acid and alkaline materials.

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

### Further information on storage stability:

No decomposition if stored and applied as directed.

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS.No.:	Value type (Form of exposure)	Control- parameters / Permissible concentration	Basis
Aluminum	7429-90-5	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-3

# SAFETY DATA SHEET



USA

Revision Date: 10.12.2020 replace Vers.from 17.01.2019

Tradename: **MIXOL® ME 2 Silver**

page 4/11

		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable particulate matter)	1 mg/m <sup>3</sup>	ACGIH
		TWA	5 mg/m <sup>3</sup> (Aluminum)	NIOSH REL
		TWA (Total)	15 mg/m <sup>3</sup> (Aluminum)	OSHA P0
		TWA (Respirable fraction)	5 mg/m <sup>3</sup> (Aluminum)	OSHA P0
		TWA (total dust)	15 mg/m <sup>3</sup> (Aluminum)	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup> (Aluminum)	OSHA Z-1
		TWA (Total dust)	15 mg/m <sup>3</sup> (Aluminum)	OSHA P0
		TWA (respirable dust fraction)	5 mg/m <sup>3</sup> (Aluminum)	OSHA P0
		TWA (welding fumes)	5 mg/m <sup>3</sup> (Aluminum)	NIOSH REL
		TWA (pyro powders)	5 mg/m <sup>3</sup> (Aluminum)	NIOSH REL
		TWA (Respirable particulate matter)	1 mg m <sup>3</sup> (Aluminum)	ACGIH
		TWA (Fumes)	5 mg/m <sup>3</sup>	OSHA P0
Ethanol, 2,2',2"-nitrilotris-	102-71-6	TWA	5 mg/m <sup>3</sup>	ACGIH

## Personal protective equipment

Respiratory protection: Use suitable breathing protection if workplace concentration requires. No personal respiratory protective equipment normally required.

### Hand protection

Material:

Solvent-resistant gloves (butyl-rubber)

Remarks:

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion,

and the contact time.  
Recommended preventive skin protection.  
Skin should be washed after contact.  
The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection: Goggles  
Safety glasses.

Hygiene measures :General industrial hygiene practice.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	liquid
Colour:	silver
Odour:	characteristic
Odour Threshold:	No data available
pH:	No data available
Melting point / Freezing point:	No data available
Initial boiling point/boiling range:	No data available
Flash point:	> 100 °C
Evaporation rate:	No data available
Flammability (solid, gas):	No data available
Upper explosion limit / Upper flammability limit:	No data available
Lower explosion limit / Lower flammability limit:	No data available
Vapor pressure:	No data available
Relative density:	No data available
Solubility(ies)	No data available
Solubility in other solvents:	No data available
Partition coefficient: n-octanol/water:	No data available
Autoignition temperature	No data available
Decomposition temperature:	No data available
Viscosity,	No data available

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

No decomposition if stored and applied as directed.

### Chemical Stability

No decomposition if stored and applied as directed.

### Possibility of hazardous reactions

Contact with acids and alkalis may release hydrogen.  
Stable under recommended storage conditions.

### Conditions to avoid

Do not allow evaporation to dryness.  
No data available.

### Incompatible materials

Acids

# SAFETY DATA SHEET



USA

Revision Date: 10.12.2020 replace Vers.from 17.01.2019

Tradename: **MIXOL® ME 2 Silver**

page 6/11

Bases  
Oxidizing agents

## SECTION 11: TOXICOLOGIC INFORMATION

### Acute toxicity

Not classified based on available information..

### Components:

#### Ethanol, 2-(dimethylamino)-:

Acute oral toxicity	Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity	Assessment: The component/mixture is toxic after short term inhalation.
Acute dermal toxicity	Assessment: The component/mixture is moderately toxic after single contact with skin.

### Skin corrosion/irritation:

Not classified based on available information.

### Components:

#### Phosphoric acid, C11-14-isoalkyl esters, C13-rich:

Result: Skin irritation.

#### Ethanol, 2-(dimethylamino)-:

Assessment: Corrosive

Remarks: May cause eye and skin irritation. .

### Serious eye damage/eye irritation:

Not classified based on available information..

### Components:

#### Phosphoric acid, C11-14-isoalkyl esters, C13-rich:

Result: Corrosive.

#### Ethanol, 2-(dimethylamino)-:

Result: Corrosive

## Respiratory or skin sensitization

### Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information

# SAFETY DATA SHEET



USA

Revision Date: 10.12.2020 replace Vers.from 17.01.2019

Tradename: **MIXOL® ME 2 Silver**

page 7/11

<b>IARC</b>	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
<b>OSHA</b>	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
<b>NTP</b>	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Not classified based on available information.

### **STOT-single exposure**

Not classified based on available information.

### **Components:**

#### **Ethanol, 2-(dimethylamino)-:**

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### **STOT-repeated exposure**

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

### **Further information**

---

## SECTION 12: ECOLOGICAL INFORMATION

### **Exotoxicity**

#### **Components:**

#### **Phosphoric acid, C11-14-isoalkyl esters, C13-rich:**

Toxicity to fish: LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna (Water flea)): 6.31 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (algae): 150 mg/l  
Exposure time: 72 h

:

# SAFETY DATA SHEET



USA

Revision Date: 10.12.2020 replace Vers.from 17.01.2019

**Tradename: MIXOL® ME 2 Silver**

page 8/11

## Ethanol, 2-(dimethylamino)-:

Toxicity to daphnia and other aquatic invertebrates: (Daphnia): 98.77 mg/l

Toxicity to algae : (Chlorella pyrenoidosa): 35 mg/l

## Persistence and degradability

No data available

## Bioaccumulative potential

No data available

## Other adverse effects

No data available

---

## SECTION 13: DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues: In accordance with local and national regulations.

Contaminated packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal.  
In accordance with local and national regulations.

---

## SECTION 14: TRANSPORT INFORMATION

### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

### International regulation

#### IATA-DGR

Not permitted for transport

#### IMDG-Code

Not regulated as a dangerous good

Remarks: Due to the risk of hydrogen development we recommend to refrain from airfreighting this/these product(s)., Not classified as dangerous in the meaning of transport regulations.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know



# SAFETY DATA SHEET



USA

Revision Date: 10.12.2020 replace Vers.from 17.01.2019

Tradename: **MIXOL® ME 2 Silver**

page 9/11

## CERCLA Reportable Quantity

Components	CAS.No.:	Component RQ (lbs)
Ethanol, 2-(dimethylamino)-	108-01-0	100

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Aluminum 7429-90-5 >= 30 - < 50 %

## Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489):

Ethanol, 2,2',2"-nitrilotris- 102-71-6 %

## Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contains any toxic pollutants listed under the U.S. Clean Water Act Section 307

## US State Regulations

### Massachusetts Right To Know

Aluminum 7429-90-5

Ethanol, 2,2',2"-nitrilotris- 102-71-6

### Pennsylvania Right To Know

Water 7732-18-5

Aluminum 7429-90-5

Ethanol, 2,2',2"-nitrilotris- 102-71-6

# SAFETY DATA SHEET



USA

Revision Date: 10.12.2020 replace Vers.from 17.01.2019

Tradename: **MIXOL® ME 2 Silver**

page 10/11

## California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## California List of Hazardous Substances

Aluminum 7429-90-5

## California Permissible Exposure Limits for Chemical Contaminants

Aluminum 7429-90-5  
Ethanol, 2,2',2"-nitritoltris- 102-71-6

## The ingredients of this product are reported in the following inventories:

DSL : This product contains one or several components listed in the Canadian NDSL.

TSCA: On TSCA Inventory

## TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## SECTION 16: OTHER INFORMATION

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx -

# SAFETY DATA SHEET



USA

Revision Date: 10.12.2020 replace Vers.from 17.01.2019

**Tradename: MIXOL® ME 2 Silver**

page 11/11

Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. MIXOL-PRODUKTE Diebold GmbH makes no warranties, express or implied, as to the information accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of MIXOL products for its particular application. Nothing included in this information waives any of MIXOL's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing.

Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing MIXOL products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products.

For additional information, please contact MIXOL-PRODUKTE Diebold GmbH.